Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Topology and its Applications 150 (2005) 289
Topology and its Applications
www.elsevier.com/locate/topol

Author index volume 150 (2005)

Amendola, G. and B. Martelli, Non-orientable 3-manifolds of complexity up to 7 179–195
Arhangel'skii, A.V., Remainders in compactifications and generalized metrizability properties 79– 90
Buczolich, Z. and U.B. Darji, Pseudoarcs, pseudocircles, Lakes of Wada and generic maps on S^2 223–254
Camerlo, R., Continua and their σ-ideals 1– 18
Darji, U.B., see Buczolich, Z. 223–254
Dow, A., Maximal realcompact spaces and measurable cardinals 133–137
Gao, Y.-Z., see Shi, W.-X. 19– 31
Giarlotta, A., The representability number of a chain 157–177
Hackney, P., L. Van Wyk and N. Walters, k-alternating knots 125–131
Hart, K.P. and G.J. Ridderbos, A note on an example by van Mill 207–211
Hilden, H.M., M.T. Lozano and J.M. Montesinos-Amilibia, Peripheral polynomials of hyperbolic knots 267–288
Iwase, N., M. Mimura and T. Nishimoto, Lusternik–Schnirelmann category of non-simply connected compact simple Lie groups 111–123
Jin, G.T., see Lee, J.H. 101–110
Lee, J.H. and G.T. Jin, Common stabilizations of Heegaard splittings of link exteriors 101–110
Liu, C., On weak bases 91– 99
Lozano, M.T., see Hilden, H.M. 267–288
Martelli, B., see Amendola, G. 179–195
Mimura, M., see Iwase, N. 111–123
Montesinos-Amilibia, J.M., see Hilden, H.M. 267–288
Ngai, S.-M. and T.-M. Tang, Topology of connected self-similar tiles in the plane with disconnected interiors 139–155
Nishimoto, T., see Iwase, N. 111–123
Önal, S. and Ç. Vural, Some cardinal invariants on the space $C_\alpha(X, Y)$ 255–265
Ridderbos, G.J., see Hart, K.P. 207–211
Sawicki, M., Absolute extensors and absolute neighborhood extensors in asymptotic categories 59– 78
Shi, W.-X., Y.-K. Song and Y.-Z. Gao, Spaces embeddable as regular closed subsets into *acc* spaces and (a)-spaces 19– 31
Song, Y.-K., see Shi, W.-X. 19– 31
Tang, T.-M., see Ngai, S.-M. 139–155
Tomita, A.H., The weight of a countably compact group whose cardinality has countable cofinality 197–205
Torii, T., On relations between 1-lines of Adams–Novikov spectral sequences modulo invariant prime ideals 33– 57
Tuncali, H.M. and V. Valov, On regularly branched maps 213–221
Valov, V., see Tuncali, H.M. 213–221
Van Wyk, L., see Hackney, P. 125–131
Vural, Ç., see Önal, S. 255–265
Walters, N., see Hackney, P. 125–131

0166-8641/2005 Published by Elsevier B.V.
doi:10.1016/S0166-8641(05)00104-5